


AQUATOX Release 3 Installation Guide

| | |
|---|---|
| Installing AQUATOX Release 3 under Windows XP | 1 |
| Potential glitch when utilizing Installshield (Error Number -2)..... | 2 |
| Installing AQUATOX Release 3 under the Vista Operating System..... | 3 |
| Adding Read/Write Privileges to the folder in which AQUATOX has been installed .. | 4 |
| For More Information..... | 5 |

Installing AQUATOX Release 3 under Windows XP

1. **AQUATOX must be initially installed by an Administrator.** (Future model updates may be possible without Administrator privileges.) Attempting to install as a non-administrator account may provide the user with an error dialog box “432” stating that “Setup has detected that unInstallShield is in use.”
2. **If AQUATOX will exclusively be run using an “administrator” account,** no additional changes need to be made.
3. **If AQUATOX will be run by a user with a “standard” account,** full read and write privileges must be given to that user for the directory in which AQUATOX has been installed. (See the screen capture and step-by-step instructions at the end of this document).
4. **An alternative to adding read and write privileges:** is to install AQUATOX in a directory where the user already has read and write privileges (i.e. the individual’s “My Documents” folder, C:\documents and settings\StandardUser\My Documents\AQUATOX\” see screen capture below.) This is the best choice when installing AQUATOX in managed desktop systems.




Installing AQUATOX in a directory where the user already has read and write privileges

Potential glitch when utilizing Installshield (Error Number -2)

One of our users has encountered the following error


Error Number: -2, General file transfer error...



The workaround is to select "run" rather than "save" when the executable is downloaded from the Internet.

Installing AQUATOX Release 3 under the Vista Operating System

1. **AQUATOX must be installed by an Administrator.** (Attempting to install as a non-administrator account may provide the user with an error dialog box from Vista or the error shown below.)




2. **If AQUATOX will exclusively be run using an “administrator” account,** no additional changes need to be made.
3. **If AQUATOX will be run by a user with a “standard” account,** full read and write privileges must be given to that user for the directory in which AQUATOX has been installed. (See the screen capture and step-by-step instructions on the next page).
4. **An alternative to adding read and write privileges:** is to install AQUATOX in a directory where the user already has read and write privileges (i.e. the individual’s “Documents” folder).

(e.g. C:\Users\StandardUser\Documents\AQUATOX”)

Option 4 is the best choice when installing AQUATOX in managed desktop systems.

Adding Read/Write Privileges to the folder in which AQUATOX has been installed

- a. Select the directory that AQUATOX has been installed, the default is "Program Files/AQUATOX_R3". (In windows XP, the "simple file sharing" box must be unchecked, in Tools, View, Advanced options as shown in the screen-capture here.)



- b. Right click on this directory to bring up the AQUATOX_R3 Properties dialog box.
- c. Click on the "Security tab" at the top of the dialog box
- d. Select Edit (Vista only).

- e. Add “Full Control” privileges for the users that will be using AQUATOX on this computer.




Illustration of required steps within Vista.

For More Information

Please report any installation issues with AQUATOX Release 3.0 to jclough@warrenpinnacle.com. Thank you.